

24-Port 6P2C Female Telco Patch Panel

Package Includes


- A. 24-Port 6P2C Telco Patch Panel, 1 pc
- B. #12-24 x 5/8" Pan Head, Pilot Point Machine Screw, 4 pcs



Features and Benefits

- Rack mounted 8-position 2-conductor Telco patch panel provides voice connectivity applications
- Integrated with one female 50-pin Telco connector
- Designed to fit all standard 19" racks and cabinets
- 1 rack mount space (RMS)
- Country Of Origin: Taiwan
- TAA Compliant

Specifications



WIRING CHART		
PORT NO.	TELCO 60 PIN	USOC R,L-11, 2-WIRE
PORT 1	26	4
	1	3
PORT 2	27	4
	2	3
PORT 3	28	4
	3	3
PORT 4	29	4
	4	3
PORT 5	30	4
	5	3
PORT 6	31	4
	6	3
PORT 7	32	4
	7	3
PORT 8	33	4
	8	3
PORT 9	34	4
	9	3
PORT 10	35	4
	10	3
PORT 11	36	4
	11	3
PORT 12	37	4
	12	3
PORT 13	38	4
	13	3
PORT 14	39	4
	14	3
PORT 15	40	4
	15	3
PORT 16	41	4
	16	3
PORT 17	42	4
	17	3
PORT 18	43	4
	18	3
PORT 19	44	4
	19	3
PORT 20	45	4
	20	3
PORT 21	46	4
	21	3
PORT 22	47	4
	22	3
PORT 23	48	4
	23	3
PORT 24	49	4
	24	3
-	50	OPEN
	25	

NOTE: UNLESS OTHERWISE SPECIFIED

1. MATERIAL:

- A. 24-PORT PATCH PANEL: 16 GA CRS
- B. JACK HOUSING: ABS, UL 94V-0
- C. SPRING WIRE: SQUARE SPRING WIRE, TEMPERED PHOSPHOR BRONZE
- D. GOLD RATING: 50 MICRO INCHES OF GOLD OVER 100 MICRO INCHES OF NICKEL

2. SURFACE FINISH: BLACK POWDER COAT

For warranty information, go online to icc.com/warranty.

Part No: ICMPPTF242 Rev: A

Part No.: ICMPPTF242

Rev: A

| 888-ASK-4ICC | icc.com | csr@icc.com |

Page 2 of 2

